

ATR デジタル音声データベース セットD セグメントラベルデータ (サンプル)

287.5 k 330.0
330.0 a 385.0
385.0 n 407.5
407.5 a 480.0
480.0 d 520.0
520.0 a 580.0
580.0 h 640.0
640.0 a 810.0
810.0 pau 1342.5
1342.5 h 1387.5
1387.5 a 1440.0
1440.0 j 1507.5
1507.5 i 1540.0
1540.0 m 1595.0
1595.0 e 1735.0
1735.0 pau 2025.0
2025.0 f 2075.0
2075.0 u 2120.0
2120.0 r 2135.0
2135.0 a 2235.0
2235.0 N 2280.0
2280.0 s 2402.5
2402.5 u 2427.5
2427.5 n 2460.0
2460.0 o 2535.0
2535.0 sh 2635.0
2635.0 o 2695.0
2695.0 k 2755.0
2755.0 u 2790.0
2790.0 m 2830.0
2830.0 i 2905.0
2905.0 N 2960.0
2960.0 ch,i 3045.0
3045.0 t 3090.0
3090.0 o 3157.5
3157.5 sh,i 3230.0
3230.0 t 3282.5
3282.5 e 3340.0
3340.0 k 3430.0
3430.0 a 3480.0

3480.0 i 3537.5
3537.5 t 3580.0
3580.0 a 3645.0
3645.0 k,u,s 3782.5
3782.5 a 3840.0
3840.0 r 3860.0
3860.0 e 3925.0
3925.0 t 4010.0
4010.0 a 4090.0

287.5 k 330.0
330.0 a 385.0
385.0 mm 407.5
407.5 a 480.0
480.0 *cl 515.0
515.0 d 520.0
520.0 a 580.0
580.0 w 640.0
640.0 a 775.0
775.0 > 810.0
810.0 pau 1342.5
1342.5 h 1387.5
1387.5 a 1440.0
1440.0 *cl 1475.0
1475.0 dj 1507.5
1507.5 i 1540.0
1540.0 mm 1595.0
1595.0 e 1715.0
1715.0 > 1735.0
1735.0 pau 2025.0
2025.0 h 2075.0
2075.0 u 2120.0
2120.0 r 2135.0
2135.0 a 2235.0
2235.0 N 2280.0
2280.0 s 2402.5
2402.5 u 2427.5
2427.5 mm 2460.0
2460.0 o 2535.0
2535.0 sh 2620.0
2620.0 j 2635.0
2635.0 o 2677.5

2677.5 > 2695.0
2695.0 cl 2725.0
2725.0 k 2755.0
2755.0 u 2790.0
2790.0 mm 2830.0
2830.0 i 2905.0
2905.0 N 2960.0
2960.0 ch 3045.0
3045.0 cl 3080.0
3080.0 t 3090.0
3090.0 o 3157.5
3157.5 sh 3230.0
3230.0 cl 3272.5
3272.5 t 3282.5
3282.5 e 3330.0
3330.0 > 3340.0
3340.0 cl 3380.0
3380.0 k 3430.0
3430.0 a 3480.0
3480.0 i 3525.0
3525.0 > 3537.5
3537.5 cl 3572.5
3572.5 t 3580.0
3580.0 a 3645.0
3645.0 cl 3697.5
3697.5 k,s 3782.5
3782.5 a 3840.0
3840.0 r 3860.0
3860.0 e 3910.0
3910.0 > 3925.0
3925.0 cl 4002.5
4002.5 t 4010.0
4010.0 a 4040.0
4040.0 > 4090.0

2280.0 fr 2305.0
2535.0 fr 2550.0
2960.0 dv 3045.0
3157.5 dv 3230.0
3697.5 dv 3782.5

2960.0 ch,i 3045.0

3157.5 sh,i 3230.0

3697.5 k,u,s 3782.5

#

355.0 a

440.0 a

545.0 a

710.0 a

1415.0 a

1522.5 i

1655.0 e

2100.0 u

2185.0 a

2415.0 u

2495.0 o

2655.0 o

2770.0 u

2865.0 i

3120.0 o

3305.0 e

3455.0 a

3505.0 i

3610.0 a

3815.0 a

3885.0 e

4025.0 a

#